

TSI Link™ Report Creator – Spatial Analysis



Workbook Guide (US)

Contents

Contents	1
Overview	1
Worksheet Templates	2
Worksheet Steps	2
Step 1 Select a Worksheet	2
Step 2 Cover Sheet	2
Step 3 Demographic Information	3
For General Spatial Report, Select Desired Parameter	3
Step 4 Load Study Data	3
Step 5 Analyze Data	3
Spatial Report Analysis	3
Target Limits	4
IAQ Assessment Analyses	4
Layout View	5
Step 6 Complete the Assessment	6
Appendix A – Configuration Sheet Parameters	7

Overview

The Spatial Analysis workbook contains a set of worksheets for **TSI Link™** Report Creator that support spatial visualization. In addition to traditional table-based data analysis, these worksheets allow you to overlay summary measurement data onto virtually any image, including:

- Building floorplan
- Hand sketch of a work area or building
- Photo
- Equipment diagram
- HVAC ductwork diagram
- Map

The templates in this workbook are designed to provide spatial context for your measurements. They allow you and your report recipients to clearly understand spatial context such as contaminant “hotspots”, impact on surrounding areas, unsafe work areas, etc. You can also use Microsoft® Excel® software’s annotation tools to further enhance your visualizations.



Check out the [Report Creator Product Page](#) for guides, videos and more resources including: setting up an account, installing the application, using the study manager, using the layout view, customizing report creator templates, etc. This guide builds upon and supplements those guides.

Worksheet Templates

The table below lists the worksheets available in the Spatial Analysis Workbook.

Worksheet	Supported Measurements	Supported Instruments	Applications
IAQ Assessment	CO (ppm) CO ₂ (ppm) VOC (ppb) PM 2.5 (ug/m ³) PM 10 (ug/m ³)	OmniTrak™ Solution Q-Trak™ XP Monitor	Air Quality testing around a public space, classroom, lab, commercial space, church, data center or other area. Helps to quickly visualize and analyze situations
Spatial Report	Parameters from Appendix A	Many different Instruments	Visualize any one of 69 parameters around a floor plan, school, lab, product plant or other area.

NOTES:

1. The IAQ Assessment Worksheet is designed to display key indoor air quality gases and particulate matter measurements.

Worksheet Steps

Step 1 Select a Worksheet

The Spatial Analysis Workbook is one of many that are available. An [overview of the workbooks available is on the Report Creator Product Page](#).

A list of the worksheet in this Spatial Analysis Workbook can be found the [Worksheet Templates section](#).

Step 2 Cover Sheet

This workbook contains a very simple Cover sheet that can be customized to suit your needs. See the *Customizing Report Creator Templates* to learn how. Other sheets can be added to your workbook, if desired.

The bottom of the Cover sheet includes information for the **Spatial Report Worksheet**. If the Cover sheet is deleted from the workbook, the Spatial Report Worksheet will not function.

Spatial Analysis Report	
Client	
Project	
Location	
Author	

Step 3 Demographic Information

After you have created a blank worksheet, you can enter whatever demographic information you want into the report header. You may also change the "Location N" names to something more meaningful if desired.

You can also add or edit target maximum limits for each gas/PM in Row 12. If you do not want to display a target limit, simply leave the cell blank.

NOTICE

You can also enter target limits into the worksheet templates if you want to make them static and avoid re-entering them. Refer to *Customizing Report Creator Templates* on the [Report Creator product page](#).

	A	D	E	F	G
1	General IAQ Assessment ID:				
2	Demographic Information				
3	Location				
4	Conditions				
5	Date:				
6	Comments:				
7					
8					
9	Test Results				
10					
11	Target Names	Max CO Limit	CO2 Limit	VOC Limit	PM2.5 Limit
12	Target Limits				
13	Location	Max CO (ppm)	Max CO2 (ppm)	Max VOC (ppb)	Max PM2.5 (ug/m3)
14	Location 1	0.	0.	0.	0.
15	Location 2	0.	0.	0.	0.
16	Location 3	0.	0.	0.	0.
17	Location 4	0.	0.	0.	0.
18	Location 5	0.	0.	0.	0.

For General Spatial Report, Select Desired Parameter

The TSI® instrument portfolio can generate a wide range of measurements. It would be impractical to create templates for all possible permutations. The *Spatial Report* provides a way for you to define a comparison for any two measurements you like.

After you have created a blank Spatial Report worksheet, you can choose the parameters desired.

	A	D	E	F
1	Spatial Report			
2				
3	Parameters	None	None	
4	Location	PM 1.0 (ug/m3)		
5	Conditions	PM 2.5 (ug/m3)		
6	Date:	PM RESP (ug/m3)		
7	Comments:	PM 10 (ug/m3)		
8		PM Total (ug/m3)		
9		PM 1.0 (mg/m3)		
10		PM 2.5 (mg/m3)		
11				

You must select between one and two parameters, before importing any measurement data. The Parameter row is colored red to remind you of this.

Step 4 Load Study Data

Import up to ten studies using the [Study Manager](#) or *File Import*. *Make sure the study names match the labels you added above. Swap them if necessary. When ready, click Add Data* to import data into the worksheet. *The measurement data is loaded further down the sheet and the statistical summary table is compiled with the calculated maximum, average, and minimum values.*

The Spatial Analysis workbook can load **up to 10 studies** in each worksheet. The conditions can be described in the free text fields at the top of the sheet.

Step 5 Analyze Data

The data analysis sections differ between worksheets, as shown in the following examples.

Spatial Report Analysis


This versatile workbook template enables customers to compare data from two different types of sensors, for example:

- Comparing Ozone and VOC monitors together around an area using **Q-Trak™** Monitor or **OmniTrak™** Solution.
- Comparing the PM 2.5 and PM 10 reading that in a simple and clear way. Could be from **OmniTrak™** Solution or **DustTrak™** Monitor.

Spatial Report							ID:
Parameters							
PM 2.5 (ug/m3)							PM Total (ug/m3)
Location							PM studies in area
Conditions							Various locations and conditions that occurred during day
Date:							Tuesday, October 1, 2024
Comments:							Plane and office were clean, smoke area and highway has poor AQ for both PM2.5 and PM10
Summary							
Target Names	PM 2.5 (ug/m3)	Max PM 2.5 (ug/m3)	Avg PM 2.5 (ug/m3)	PM Total (ug/m3)	Max PM Total (ug/m3)	Avg PM Total (ug/m3)	
Target Limits							
Location	Meas 1 Study	Max Meas 1	Avg Meas 1	Meas 2 Study	Max Meas 2	Avg Meas 2	
Office		1.	1.0		1.	1.0	
Plane		0.	0.0		0.	0.0	
Highway		59.	11.3		63.	12.0	
Smoke Test		3485.	277.0		4662.	361.4	

Target Limits

Set Target limits as desired to the maximum values, as highlighted below. These limits will be displayed on the chart to provide context. The different types of measurements have different target limits, of course, but they are all managed in similar ways. **Each measure and the target limit are displayed in a chart**, along with the target limits defined in the data summary table.



PM - Number Concentration						
Test Results						
Target Names =>	PN 0.3 Max	PN 0.5 Max	PN 1.0 Max	PN 2.5 Max		
Target Limits (ug/m3) =>	10,000,000	5,000,000	1,000,000	100,000		
Event	Duration (min)	Max PN 0.3	Max PN 0.5	Max PN 1.0	Max PN 2.5	
Workbench Left	18.1	0	47,999,940	8,000,010	1,000,010	
Workbench Right	18.1	0	48,999,950	8,000,010	0	
Comparison (%)		2.08%		0.00%	-100.00%	
Event	Duration (min)	Avg PN 0.3	Avg PN 0.5	Avg PN 1.0	Avg PN 2.5	
Workbench Left	18.1	0	18,454,189	2,824,301	40,187	
Workbench Right	18.1	0	20,224,752	2,886,241	0	
Comparison (%)			9.59%	2.19%	-100.00%	
Event	Duration (min)	Min PN 0.3	Min PN 0.5	Min PN 1.0	Min PN 2.5	
Workbench Left	18.1	0	6,000,000	1,000,010	0	
Workbench Right	18.1	0	6,000,000	0	0	
Comparison (%)			0.00%	-100.00%		

IAQ Assessment Analysis


The Test Results section includes a table to show key IAQ measurements. If you have added a target limit, the summary measurement will turn **red** if the target was exceeded.

Test Results						
Target Names	Max CO Limit	CO2 Limit	VOC Limit	PM2.5 Limit	Avg PM2.5 Limit	PM10 Limit
Target Limits		1200		15		
Location	Max CO (ppm)	Max CO2 (ppm)	Max VOC (ppb)	Max PM2.5 (ug/m3)	Avg PM2.5 (ug/m3)	Max PM10 (ug/m3)
Break Room	2.	408.	0.	14.	14.	0.
Conference Room 3	1.	768.	100.	127.	127.	21.
Board Room	0.	1843.	0.	13.	13.	2.
East Stairwell	0.	553.	800.	64.	64.	14.
West Stairwell	6.	412.	0.	12.	12.	1.
Northeast Cubes	3.	1210.	200.	37.	37.	9.
North Cubes	3.	708.	0.	7.	7.	0.
Northwest Cubes	2.	817.	0.	6.	6.	0.
Team Room	1.	633.	0.	5.	5.	0.
Restrooms	0.	633.	0.	5.	5.	0.

Layout View

You can now use the summary data created above and provide a spatial visualization of it. You can overlay any desired measurements onto a floorplan, photo, or other image. Click [Layout View](#) in Report Creator. Then click the **Add** icon (see image A).

The Layout View tool then opens (image B). If you wish, you can change the default name of the picture. Then click **Import Image** (image C). Navigate to the folder that contains your image and select it.



You now have to mark the measurement locations on your image. The first location in the list is automatically highlighted in blue. Click this location on the map. The Layout Tool advances to the next location. Repeat the location marking process until all locations are placed.


If you need to change a marked location, click the bubble annotation and drag it to the correct spot. (If you click the **red X**, that location will become unmarked.)

Now select which measurement you would like to display in your report. Also, if you wish to display the location names along with the measurement, check that box.

You can also add a label to any of the measurements by clicking the bubble annotation and expanding the location in the left column. Type in the label text.

When finished, click **DONE**.


A thumbnail of your image will now be displayed in Report Creator. To add it to the report, first click the destination cell in the worksheet that you want to place the image. Then hover over the thumbnail image in Report Creator and click **Insert**.



If you want to show additional measurement diagrams in your report, hover over the thumbnail and click **Edit**. Change the display value and click **DONE**. Click the destination cell in the worksheet and repeat the insertion process. With your images inserted into the report, you can now add additional annotations using Microsoft® Excel® software's tools. You may find either of these tools useful:

1. Click **Insert** in the Microsoft® Excel® ribbon. Click the **Shapes** icon and select a callout. Drag and size the callout block. Move the pointer as desired and enter in the text.
2. Click **Draw** in the Microsoft® Excel® ribbon. Select the desired pen color. Circle areas of the image and draw lines to a cell. Add comments in the cell.

This is what the drawing tools produce:



Step 6 Complete the Assessment

To complete the report, you can add recommendations under the Conclusions section.

The print layout for this sheet does not include the measurement data in the blue tables at the bottom of the sheet. They will not appear in a PDF export either.

Appendix A – Configuration Sheet Parameters

Below is a list of parameters available for the Spatial Report Worksheet.

Metric	Units
PM 1.0 (ug/m ³)	MICROGRAMS_PER_CUBIC_METER
PM 2.5 (ug/m ³)	MICROGRAMS_PER_CUBIC_METER
PM RESP (ug/m ³)	MICROGRAMS_PER_CUBIC_METER
PM 10 (ug/m ³)	MICROGRAMS_PER_CUBIC_METER
PM Total (ug/m ³)	MICROGRAMS_PER_CUBIC_METER
PM 1.0 (mg/m ³)	MILLIGRAMS_PER_CUBIC_METER
PM 2.5 (mg/m ³)	MILLIGRAMS_PER_CUBIC_METER
PM RESP (mg/m ³)	MILLIGRAMS_PER_CUBIC_METER
PM 10 (mg/m ³)	MILLIGRAMS_PER_CUBIC_METER
PM Total (mg/m ³)	MILLIGRAMS_PER_CUBIC_METER
NC 0.3 - 0.5 (#/m ³)	COUNT_PER_CUBIC_METER
NC 0.5 - 1.0 (#/m ³)	COUNT_PER_CUBIC_METER
NC 1.0 - 2.5 (#/m ³)	COUNT_PER_CUBIC_METER
NC 2.5 - 4.0 (#/m ³)	COUNT_PER_CUBIC_METER
NC 4.0 - 10 (#/m ³)	COUNT_PER_CUBIC_METER
NC 0.3 - 0.5 (#/ft ³)	COUNT_PER_CUBIC_FOOT
NC 0.5 - 1.0 (#/ft ³)	COUNT_PER_CUBIC_FOOT
NC 1.0 - 2.5 (#/ft ³)	COUNT_PER_CUBIC_FOOT
NC 2.5 - 4.0 (#/ft ³)	COUNT_PER_CUBIC_FOOT
NC 4.0 - 10 (#/ft ³)	COUNT_PER_CUBIC_FOOT
CO ₂ (ppm)	PARTS_PER_MILLION
Formaldehyde (ppb)	PARTS_PER_BILLION
CO (ppm)	PARTS_PER_MILLION
SO ₂ (ppb)	PARTS_PER_BILLION
Ozone (ppb)	PARTS_PER_BILLION
NO ₂ (ppb)	PARTS_PER_BILLION
CL (ppm)	PARTS_PER_MILLION
NH ₃ (ppm)	PARTS_PER_MILLION
VOC (ppm)	PARTS_PER_MILLION
VOC (ppb)	PARTS_PER_BILLION



Knowledge Beyond Measure.

TSI Incorporated – Visit our website www.tsi.com for more information.

USA Tel: +1 800 680 1220

UK Tel: +44 149 4 459200

France Tel: +33 1 41 19 21 99

Germany Tel: +49 241 523030

India Tel: +91 80 67877200

China Tel: +86 10 8219 7688

Singapore Tel: +65 6595 6388

TSI and the TSI logo are registered trademarks of TSI Incorporated in the United States and may be protected under other country's trademark registrations. Microsoft and Excel are registered trademarks of Microsoft Corporation.